



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

DEATHS FROM INFLUENZA AND PNEUMONIA COMBINED.

COMPARISON OF THE FIRST NINE WEEKS OF THE YEARS 1919-1922, INCLUSIVE, FOR CERTAIN LARGE CITIES OF THE UNITED STATES.

The accompanying table gives the number of reported deaths from influenza and pneumonia (all forms), combined, during the first nine weeks of the years 1919, 1920, 1921, and 1922, in 36 large cities of the United States.

This is a continuation of the table printed on pages 459-461 of the Public Health Reports of March 3, 1922 (vol. 37, No. 9).

The weeks for which figures are given all ended on Saturday, the "first" week for each year ending on the following days, respectively: January 4, 1919, January 10, 1920, January 8, 1921, and January 7, 1922.

The figures for 1919 and 1920 were taken from the Weekly Health Index, issued by the Bureau of the Census, Department of Commerce, supplemented by reports to the Public Health Service. For 1921 and 1922 the figures are taken from reports made by the city health officers to the Public Health Service.

Blanks in the table indicate that no reports of deaths from influenza or pneumonia were received for the week. This does not always indicate that no deaths from these diseases occurred.

Number of deaths from influenza and pneumonia (all forms) combined.

City.	Week number.								
	First.	Second.	Third.	Fourth.	Fifth.	Sixth.	Seventh.	Eighth.	Ninth.
Birmingham, Ala.:									
1922.....	8	10	14	6	13	4	4	14	9
1921.....	7	14	6	4	9	9	12	6	13
1920.....	13	9	16	14	22	18	59	70	76
1919.....	36	44	52	41	29	21	28	25	¹ 10
Los Angeles, Calif.:									
1922.....	18	19	14	21	26	29	33	79	84
1921.....	12	19	9	13	15	12	17	15	15
1920.....	16	18	19	22	42	88	74	57	49
1919.....	99	151	178	177	104	47	21	8	14
Oakland, Calif.:									
1922.....	4	5	5	6	8	8	12	12	16
1921.....	4	3	8	7	9	4	6	4	5
1920.....	4	8	20	24	55	54	60	21	17
1919.....	66	92	111	67	38	18	18	¹ 3	4
San Francisco, Calif.:									
1922.....	11	12	4	12	9	15	36	79	51
1921.....		5	8	9	7	11	13	6	11
1920.....	14	26	48	59	115	137	113	89	54
1919.....	194	290	310	149	59	41	20	18	21
Denver, Colo.:									
1922.....	22	11	10	17	18	16	19	22	26
1921.....	25	22	23	11	16	21	20	13	21
1920.....	21	18	24	49	159	160	67	44	21
1919.....	65	47	35	24	29	30	37	29	27
New Haven, Conn.:									
1922.....	5	1	5	4	13	10	14	30	27
1921.....	4	7	7	7	2	6	9	9	11
1920.....	6	8	10	19	20	60	68	31	23
1919.....	40	38	27	26	20	12	11	6	13

¹ Pneumonia (all forms) deaths only.

Number of deaths from influenza and pneumonia (all forms) combined—Continued.

City.	Week number.								
	First.	Second.	Third.	Fourth.	Fifth.	Sixth.	Seventh.	Eighth.	Ninth.
Washington, D. C.:									
1922.....	20	22	27	27	25	22	27	26	27
1921.....	22	22	14	9	9	12	19	24	22
1920.....	22	27	81	181	164	92	55	30	23
1919.....	139	109	107	73	60	42	40	28	35
Atlanta, Ga.:									
1922.....	13	7	9	7	20	17	11	16	13
1921.....	10	8	9	5	7	18	10	11	7
1920.....	19	11	10	15	32	75	104	75	46
1919.....	140	140	154	157	154	128	121	125	112
Chicago, Ill.:									
1922.....	48	43	63	65	72	80	56	94	139
1921.....	64	79	89	102	92	90	75	79	84
1920.....	107	153	472	1,109	1,005	494	243	136	120
1919.....	321	269	328	341	277	194	235	233	230
Indianapolis, Ind.:									
1922.....	20	11	9	17	29	42	39	38	36
1921.....	15	12	13	13	21	6	13	6	9
1920.....	18	16	21	36	92	124	72	49	41
1919.....	34	40	25	28	25	23	28	33	34
Louisville, Ky.:									
1922.....	6	12	18	7	16	24	28	25	19
1921.....	6	4	5	5	2	2	9	13	8
1920.....	10	10	9	18	40	52	48	30	20
1919.....	22	20	21	30	20	19	19	37	34
New Orleans, La.:									
1922.....	13	14	14	13	4	25	20	19	31
1921.....	18	18	21	23	12	21	23	14	16
1920.....	27	27	27	32	36	62	89	76	56
1919.....	94	141	202	201	125	58	49	44	30
Baltimore, Md.:									
1922.....	32	25	24	26	29	27	29	40	47
1921.....	33	20	24	18	26	56	44	44	43
1920.....	20	35	24	59	122	268	231	123	80
1919.....	48	75	83	150	138	126	117	90	66
Boston, Mass.:									
1922.....	21	17	36	28	33	38	51	83	84
1921.....	27	23	36	33	22	10	26	21	23
1920.....	28	28	45	85	158	255	216	136	80
1919.....	244	227	158	153	110	89	71	72	70
Cambridge, Mass.:									
1922.....	5	8	3	4	7	7	8	9	8
1921.....	4	5	5	5	1	3	4	4	4
1920.....	8	7	8	14	22	28	23	13	4
1919.....	39	22	20	16	25	10	3	6	2
Fall River, Mass.:									
1922.....	5	4	3	6	5	7	9	22	29
1921.....	14	5	11	4	5	8	5	3	12
1920.....	7	10	5	3	5	16	25	19	18
1919.....	10	18	16	14	17	17	15	17	13
Lowell, Mass.:									
1922.....	4	7	5	4	4	6	5	13	11
1921.....	7	6	8	3	6	4	2	3	6
1920.....	5	4	2	7	12	10	36	29	27
1919.....	13	10	20	26	11	17	18	4	13
Worcester, Mass.:									
1922.....	5	10	11	7	16	16	16	15	13
1921.....	4	7	13	9	4	10	12	7	9
1920.....	10	9	7	14	15	44	52	34	59
1919.....	40	36	44	22	23	21	23	28	8
Minneapolis, Minn.:									
1922.....	10	6	9	9	6	9	4	8	19
1921.....	13	14	10	8	10	16	20	18	14
1920.....	12	10	9	63	168	125	53	13	8
1919.....	37	45	24	32	31	31	14	34	17
St. Paul, Minn.:									
1922.....	7	13	7	3	8	6	6	5	9
1921.....	9	5	9	9	7	7	8	5	8
1920.....	4	10	26	75	10	63	26	14	5
1919.....	39	25	14	12	15	13	11	12	15
Kansas City, Mo.:									
1922.....	15	13	14	25	25	28	39	71	52
1921.....	17	17	19	13	14	17	16	16	10
1920.....	13	29	96	120	220	167	74	53	29
1919.....	49	50	68	45	58	40	51	46	55
Omaha, Neb.:									
1922.....	11	9	17	12	16	12	11	17	16
1921.....	8	7	4	14	14	4	12	11	8
1920.....	4	7	13	45	62	63	32	28	19
1919.....	25	25	17	17	11	12	10	12	9

¹ Pneumonia (all forms) deaths only.² Influenza deaths only.

Number of deaths from influenza and pneumonia (all forms) combined—Continued.

City.	Week number.								
	First.	Second.	Third.	Fourth.	Fifth.	Sixth.	Seventh.	Eighth.	Ninth.
Newark, N. J.:									
1922.....	13	15	20	20	33	29	39	37	28
1921.....	18	14	15	7	12	13	12	13	11
1920.....	17	14	30	55	116	142	93	54	34
1919.....	72	66	57	53	50	45	32	46	54
Buffalo, N. Y.:									
1922.....	6	20	13	19	21	15	15	20	22
1921.....	20	18	18	20	13	18	20	18	13
1920.....	10	7	19	17	67	141	145	98	56
1919.....	48	119	90	123	90	75	35	34	44
New York, N. Y.:									
1922.....	215	263	284	302	481	596	576	548	404
1921.....	235	216	204	203	199	212	212	269	268
1920.....	218	261	511	1,308	1,988	1,796	987	513	369
1919.....	763	870	998	1,193	1,153	893	788	788	804
Rochester, N. Y.:									
1922.....	5	11	12	14	6	7	14	11	11
1921.....	4	3	6	8	5	5	4	8	4
1920.....	13	7	12	23	50	52	27	19	12
1919.....	59	26	17	21	12	16	16	18	7
Syracuse, N. Y.:									
1922.....	4	6	4	6	7	7			7
1921.....	4	8	3	5	6	2	7	4	9
1920.....	9	8	10	31	89	78	29	23	11
1919.....	8	13	4	14	18	10	10	18	19
Cincinnati, Ohio:									
1922.....	14	20	15	19	21	27	41	54	
1921.....	14	16	13	11	18	16	17	16	15
1920.....	14	12	17	25	38	62	81	99	73
1919.....	51	18	18	26	23	39	37	78	90
Cleveland, Ohio:									
1922.....			30	28	25	18	25	60	55
1921.....	25	22	23	24	31	28	31	27	34
1920.....	21	25	26	41	158	258	177	125	71
1919.....	132	94	92	92	108	100	80	82	94
Columbus, Ohio:									
1922.....	5	9	4	10	8	6	10	11	13
1921.....	8	8	12	12	13	12	7	9	9
1920.....	15	9	8	22	59	118	66	48	19
1919.....	15	14	10	20	19	11	15	20	27
Toledo, Ohio:									
1922.....	6	9	8	12	7	6	5	6	10
1921.....		3	9	10	5	4	3	8	7
1920.....	9	8	9	18	54	50	50	26	15
1919.....	19	15	19	20	15	6	11	21	14
Portland, Oreg.:									
1922.....	4	7	4	6	5	15	17	27	32
1921.....	6	5	7	6	4	8	5	4	4
1920.....	13	8	9	17	21	57	52	41	28
1919.....	55	101	123	122	50	15	10	12	7
Philadelphia, Pa.:									
1922.....	73	98	87	86	85	91	101	162	136
1921.....	72	83	85	101	114	108	115	108	128
1920.....	55	75	108	153	289	564	620	373	217
1919.....	142	194	229	259	308	262	232	231	207
Providence, R. I.:									
1922.....	13	8	12	17	11	15	26	32	39
1921.....	14	6	5	8	14	11	9	14	7
1920.....	12	13	8	14	39	88	92	57	37
1919.....	47	59	62	61	35	30	28	11	21
Nashville, Tenn.:									
1922.....	2	7		3	5	5	4	10	19
1921.....	2	8	4		10	9	9	9	10
1920.....	6	11	6	12	8	23	47	62	33
1919.....	20	17	21	21	17	15	16	23	19
Richmond, Va.:									
1922.....	8	9	9	4	8	9	12	21	19
1921.....	5	5	13	6	5	7	10	9	13
1920.....	2	9	6	21	35	38	28	13	8
1919.....	50	26	24	30	23	11	9	9	10
Total:									
1922.....	671	761	£23	872	1,125	1,294	1,362	1,736	1,561
1921.....	750	737	738	725	733	800	833	848	891
1920.....	802	947	1,771	3,821	5,657	5,922	4,314	2,721	1,853
1919.....	3,165	3,346	3,688	3,753	3,180	2,427	2,187	2,191	2,209

¹ Pneumonia (all forms), deaths only.